L Number	Hits	Search Text	DB	Time stamp
13	10	((709/100-108.ccls.) and @ad<=19990610 and (clean$1up or (garbage adj collect$4)) with (threads process)) and inactive and status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 14:33
14	1	(709/100-108.ccls.) and @ad<=19990610 and ((clean$1up or (garbage adj collect$4)) with inactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:50
15	14	(US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.	USPAT; US-PGPUB; JPO	2003/09/09 14:13
16	2	((US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and ((stor$5 memory) with status)	USPAT	2003/09/09 14:19
17	8	((US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (single with thread)	USPAT	2003/09/09 14:19
18	5	((US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (single adj thread)	USPAT	2003/09/09 14:55
19	5	(709/100-108.ccls.) and (@ad<=19990610) and ((single adj thread) with (plurality multiple) with (tasks jobs))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 14:56
20	0	((US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (reallocat$4 with resources)	USPAT	2003/09/09 15:47
21	11	(709/100-108.ccls.) and (@ad<=19990610) and (reallocat$4 adj resources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:49
22	3	((709/100-108.ccls.) and (@ad<=19990610) and (reallocat$4 adj resources)) and threads	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 14:57

23	9	((US-6418542-$ or US-5835763-$ or US-5504898-$ or US-6457064-$ or US-6314446-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$ or US-6247039-$ or US-6101525-$ or US-5640529-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (error)	USPAT	2003/09/09 15:47
24	8	(709/100-108.ccls.) and @ad<=19990610 and (error with clean$1up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:54
25	1	(US-5542088-$).did.	USPAT	2003/09/09 15:54
26	1	((US-5542088-$).did.) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:54
-	3	Carlson-Michael.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 10:49
-	3	(data adj process$4) and (poll$4 with thread) and (thread with active) and (thread with clean$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:46
-	3	(data adj process$4) and (poll$4 with thread) and (thread with active) and (thread with clean$4) and (status or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 10:58
-	3	(data adj process$4) and (poll$4 with thread) and (thread with active) and (thread with clean$4) and ((status or information) same active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 10:58
-	0	(data adj process$4) and (poll$4 with thread) and (thread with active) and (thread with clean$4) and ((status or information) same active) and (determin$6 with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 10:59
-	1	(data adj process$4) and (poll$4 with thread) and (thread with active) and (thread with clean$4) and ((status or information) same active) and ((determin$6 or respon$7) with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 11:00
-	12	(determin$4 with thread with active) and (thread with clean$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:18
-	9	((determin$4 with thread with active) and (thread with clean$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:10
-	0	(fails with determin$4 adj3 thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:15
-	30	(determin$4 adj3 thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:15

-	25	((determin$4 adj3 thread with active)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:15
-	2	(determin$4 with thread with active) same (thread with clean$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:20
-	27	(thread with active) same (thread with clean$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:20
-	23	((thread with active) same (thread with clean$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:24
-	0	respon$7 with absence with thread with active with clean$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:25
-	0	respon$7 with absence with thread with active same clean$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:25
-	0	respon$7 with absence with thread with active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:25
-	57	respon$7 with thread with active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:26
-	46	(respon$7 with thread with active) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:29
-	0	(clean$7 adj3 thread) same (thread adj4 active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:30
-	27	(clean$7 with thread) same (thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 15:30
-	23	((clean$7 with thread) same (thread with active)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:30
-	22834	status adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:30
-	1519	(status adj information) with (receiv$4 and stor$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:32

-	1268	((status adj information) with (receiv$4 and stor$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:32
-	175	(status adj information) with (receiv$4 and stor$4) with respon$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:36
-	0	(status adj information) with (receiv$4 and stor$4) with respon$5 with thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:34
-	158	((status adj information) with (receiv$4 and stor$4) with respon$5) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/15 16:35
-	3	(status adj information) with (receiv$4 and stor$4) with thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:02
-	1	((status adj information) with (receiv$4 and stor$4) with thread) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:01
-	2	(status adj information) with ((receiv$4 with thread with stor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:06
-	0	((status adj information) with ((receiv$4 with thread with stor$5))) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:06
-	138	(information or data) with ((receiv$4 with thread with stor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:12
-	109	((information or data) with ((receiv$4 with thread with stor$5))) and thread and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:09
-	109	(information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:23
-	0	((information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610) and (thread with printer) and (thread with video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:24
-	414	((information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610) and (thread with printer) or (thread with video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 11:03
-	0	((information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610) and (thread with printer) and (virtual adj machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:25

-	2	((information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610) and (virtual adj machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:25
-	2	((information or data) with ((receiv$4 with thread with stor$5)) and @ad<=19990610) and (thread with printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:29
-	17420	respons$5 with receiv$5 with stor$5 with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:28
-	15100	(respons$5 with receiv$5 with stor$5 with (information or data)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:34
-	0	((respons$5 with receiv$5 with stor$5 with (information or data)) and @ad<=19990610) and (thread with (first adj class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:32
-	0	((respons$5 with receiv$5 with stor$5 with (information or data)) and @ad<=19990610) and (identif$5 with (active adj thread))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:33
-	13	((respons$5 with receiv$5 with stor$5 with (information or data)) and @ad<=19990610) and ((virtual adj machine) with java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 19:34
-	0	(printer adj thread) and (video adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:31
-	0	(printer with thread) and (video adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:31
-	2	(printer with thread) and (video with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:31
-	11	(printer adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:33
-	10	(printer near3 thread) and (data adj processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/17 20:33
-	10	((printer near3 thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/19 09:44
-	36	((video near3 thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/19 09:45

-	1	((video adj thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/19 09:45
-	5	(US-6418542-$ or US-6182142-$ or US-5305455-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.	USPAT; US-PGPUB; JPO	2002/08/20 15:18
-	1	((US-6418542-$ or US-6182142-$ or US-5305455-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (priority or class)	USPAT	2002/08/20 15:18
-	1	((US-6418542-$ or US-6182142-$ or US-5305455-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (priority or class)	USPAT	2002/08/20 15:21
-	0	((US-6418542-$ or US-6182142-$ or US-5305455-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (thread with (class or priority))	USPAT	2002/08/20 15:24
-	499	thread and (first adj class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 15:26
-	14	thread with (first adj class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 15:26
-	14	(thread with (first adj class)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:11
-	2	((thread with (first adj class)) and @ad<=19990610) and (event with (error or time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 15:29
-	262	active adj thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:12
-	174712	identif$ and terminat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:13
-	0	identif$6 near3 ((active and inactive) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:15
-	4	identif$6 with ((active and inactive) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:36
-	2	(identif$6 with ((active and inactive) with thread)) and terminat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:18

-	0	(reset$5 near3 resource) with (inactive adj thread) with reallocat$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:37
-	0	(reset$5 with resource) with (inactive adj thread) with reallocat$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 16:37
-	7	(US-6418542-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.	USPAT; US-PGPUB; JPO	2002/08/20 17:51
-	332315	((US-6418542-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (period with time) or error	USPAT	2002/08/20 17:52
-	5	((US-6418542-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and ((period with time) or error)	USPAT	2002/08/20 17:58
-	2	((US-6418542-$ or US-6182142-$ or US-5305455-$ or US-5745703-$ or US-6233599-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and (period with time)	USPAT	2002/08/20 17:58
-	1	(US-6418542-$).did.	USPAT	2002/08/21 16:28
-	1	((US-6418542-$).did.) and (information or data)	USPAT	2002/08/21 16:28
-	1	(US-5745703-$).did.	USPAT	2002/08/22 14:33
-	1	((US-5745703-$).did.) and threads same (first adj3 class adj3 object)	USPAT	2002/08/22 14:34
-	1	(US-6418542-$).did.	USPAT	2003/01/23 12:58
-	0	((US-6418542-$).did.) and inactive	USPAT	2003/01/23 12:59
-	1	((US-6418542-$).did.) and active	USPAT	2003/01/23 12:59
-	7	(US-6418542-$ or US-6233599-$ or US-6182142-$ or US-5305455-$ or US-5745703-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.	USPAT; US-PGPUB; JPO	2003/01/23 13:01
-	2	((US-6418542-$ or US-6233599-$ or US-6182142-$ or US-5305455-$ or US-5745703-$).did. or (US-20010056457-$).did. or (JP-11353132-$).did.) and inactive	USPAT	2003/01/23 13:01
-	265897	(status or state) with (thread job process)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:29
-	200241	((status or state) with (thread job process)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:30
-	22895	(((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:31

-	2482	((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:33
-	761	((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and ((active run$4) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:33
-	138	(((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and ((active run$4) with thread)) and (709/100-108.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:36
-	5	((((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and ((active run$4) with thread)) and (709/100-108.ccls.)) and (poll$4 with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:37
-	0	(((((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and ((active run$4) with thread)) and (709/100-108.ccls.)) and (poll$4 with thread)) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:38
-	14	((((((status or state) with (thread job process)) and @ad<=19990610) and ((active run$4) and (inactive stop$4))) and ((active run$4) with thread)) and (709/100-108.ccls.)) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:38
-	84	(709/100-108.ccls.) and @ad<=19990610 and clean$1up	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 11:03
-	34	((709/100-108.ccls.) and @ad<=19990610 and clean$1up) and (clean$1up same (threads process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 11:08
-	17	((709/100-108.ccls.) and @ad<=19990610 and clean$1up) and (clean$1up with (threads process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 11:08
-	16	((709/100-108.ccls.) and @ad<=19990610 and clean$1up) and (clean$1up with (threads process)) and (active inactive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 11:15
-	11	((709/100-108.ccls.) and @ad<=19990610 and clean$1up) and (clean$1up with (threads process)) and (active inactive) and status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 13:43